	Sanitized Copy Approved for Release 20	11/01/05 : CIA-RDP89B00709R000200410006-6
STAT		
		In replymefer to SP-256
	25	5 February 1960
STAT		
01741		Re: COR-0768-60
		15 February 1960
	In accordance with your recof Amendment No. 5 to the	quest, enclosed herewith is a copy Boston subcontract.
		Very truly yours,
STAT		
	WJ:p	
	Enclosure	
STAT		
		·
		05.100
		la place
		RT-100 Subtilder MSD-TTEK
		MSV

LOCKHEED	Al	RCRAFT	C	RPORATION
MISS	ILE	SYSTEMS	Dľ	VISION '

Sunnyvale, California

PUTCHASE ORDER CHANGE NOTICE

14 00069730D

DATE | PAGE | OF | NUMBER | 10/5/59 | 1 | 1 | 100-9

REQUEST NO.

B 1084, 49193, 35112, 35193, 95308, 95311

IN REPLY REFER TO:

Amendment No. 5

FTM Cosposation 700 Cosposaselth Avenue Boston 15, Massashusetts

Form MSD 968

Please incorporate the following changes in the subject purchase order:

Under the WIR STATESTIFF of the SCH DULL, incorporate the followings

Perform reliability and life test, circuit analysis, trouble shooting, environmental test progress and reliability testing.

Under FURN AVERTICAL delete in its entirety and in lieu thereof incorporate the following:

Total estimated cost Fixed Fee Total Cost 2617,181,00 183,375,00 21,000,550,00

Reason: To incorporate increase in scope and attendent cost and fee.

These instructions supplement, and are to be considered a part of, the subject purchase order which shall remain in full force and effect except as altered hereby, unless you notify us at once that further changes are necessary.

İ	REFERENCES	
Request		
	ORDERING OFFICE	

Sanitized Copy Approved for Release 2011/01/05: CIA-RDP89B00709R000200410006-6